

Applications:

Electricity industry, Industrial cabling, Automotive, Energy sector, Building & Construction sector

Description:

Produced from Polyamide 6.6, which is known as the most durable of plastics. It has High strength and hardness thanks to its semi-crystalline structure.

Black colored cable ties provide excellent protection against sunlight with UV resistance.

Properties:

- High quality plastic.
- Wide variety of materials, sizes and colors.
- High tensile strength with low application force.
- Serrated inner surface to grip the application area more tightly.
- Edge surface slope for easy application.
- Easy application manually or with apparatus.

Temperatures Range:

- Working temperature: $-40^{\circ}\text{C} < \text{Temp} < 85^{\circ}\text{C}$
- Application temperature: $-10^{\circ}\text{C} < \text{Temp} < 60^{\circ}\text{C}$

Standard color:

PVC color black.



Code	Width mm	Length mm	Bag total amount	Color
UV-100-2.5W	2.5	100	100	White
UV-150-2.5W	2.5	150	100	White
UV-200-2.5W	2.5	200	100	White
UV-140-3.6W	3.6	140	100	White
UV-200-3.6W	3.6	200	100	White
UV-250-3.6W	3.6	250	100	White
UV-280-3.6W	3.6	280	100	White
UV-200-4.8W	4.8	200	100	White
UV-250-4.8W	4.8	250	100	White
UV-300-4.8W	4.8	300	100	White
UV-368-4.8W	4.8	368	100	White
UV-432-4.8W	4.8	432	100	White
UV-240-7.6W	7.6	240	100	White
UV-380-7.6W	7.6	380	100	White
UV-450-7.6W	7.6	450	100	White
UV-550-7.6W	7.6	550	100	White
UV-610-9.05W	9.0	610	100	White
UV-812-9.0W	9.0	812	100	White
UV-1168-9.0W	9.0	1168	100	White

Code	Width mm	Length mm	Bag total amount	Color
UV-100-2.5B	2.5	100	100	Black
UV-150-2.5B	2.5	150	100	Black
UV-200-2.5B	2.5	200	100	Black
UV-140-3.6B	3.6	140	100	Black
UV-200-3.6B	3.6	200	100	Black
UV-250-3.6B	3.6	250	100	Black
UV-280-3.6B	3.6	280	100	Black
UV-200-4.8B	4.8	200	100	Black
UV-250-4.8B	4.8	250	100	Black
UV-300-4.8B	4.8	300	100	Black
UV-368-4.8B	4.8	368	100	Black
UV-432-4.8B	4.8	432	100	Black
UV-240-7.6B	7.6	240	100	Black
UV-380-7.6B	7.6	380	100	Black
UV-450-7.6B	7.6	450	100	Black
UV-550-7.6B	7.6	550	100	Black
UV-610-9.05B	9.0	610	100	Black
UV-812-9.0B	9.0	812	100	Black
UV-1168-9.0B	9.0	1168	100	Black